



NEGOTIATIONS 589

The Commerce Plank Collection introduces two new carpet planks designed to coordinate with the Commerce Collection. Both styles are unique reflections of nature's elements and raw beauty.



521



589



841




858



869



878



979

NEGOTIATIONS 2B169

TRANSACTION 2B168

Style Name / Number	Negotiations 2B169	Transaction 2B168
Construction	Tufted	Tufted
Surface Appearance	Textured Patterned Loop	Textured Patterned Loop
Gauge	1/12" (47.00 rows per 10 cm)	1/12" (47.00 rows per 10 cm)
Pile Weight	16 oz/yd ² (542g/m ²)	16 oz/yd ² (542g/m ²)
Pile Thickness	.083" (2.11 mm)	.080" (2.03 mm)
Stitches Per Inch	10.9 (42.91 per 10 cm)	12.5 (42.91 per 10 cm)
Dye Method	100% Solution Dyed	100% Solution Dyed
Fiber Type	Colorstrand® SD Nylon	Colorstrand® SD Nylon
Stain Release Technology	Mohawk Protection Plus Stain	Mohawk Protection Plus Stain
Density	6,937	7,200
Weight Density	111,024	115,200
Soil Release Technology	Mohawk Protection Plus Soil	Mohawk Protection Plus Soil
Primary Backing	Non-Woven Synthetic	Non-Woven Synthetic
Secondary Backing	UltraSet®	UltraSet®
Recycled Content	Contains a minimum 39% pre-consumer recycled content by total product weight	Contains a minimum 39% pre-consumer recycled content by total product weight
Indoor Air Quality	Green Label Plus Certified # 1098	Green Label Plus Certified # 1098
NSF 140	Gold	Gold
Size	12" x 36" (.3048 m x .9144 m)	12" x 36" (.3048 m x .9144 m)
Yds./Ctn	8	8
Installation Method	Monolithic / Half-Lap / Brick Ashlar / Basket Weave / Plank Half-Lap / Monolithic Stepping / Random / Herringbone	Monolithic / Half-Lap / Brick Ashlar / Basket Weave / Plank Half-Lap / Monolithic Stepping / Random / Herringbone
Flammability	ASTM E 648 Class 1 (Glue Down)	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV	AATCC-134 Under 3.5 KV
CRI Appearance Retention Rating	Severe Traffic	Severe Traffic
Country of Origin	USA	USA
Warranties	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty Lifetime Limited Colorfastness to Light Warranty 10-Year Limited Stain Resistance Warranty 10-Year Limited Colorfastness to Atmospheric Contaminants Warranty	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty Lifetime Limited Colorfastness to Light Warranty 10-Year Limited Stain Resistance Warranty 10-Year Limited Colorfastness to Atmospheric Contaminants Warranty



Up to 2,000 sq. ft. available within 10 business days or less

